



AR 320 bp TWIN - AR 370 bp TWIN




26 - 1

UN990005-IB




26 - 2

UN990006-IC




26 - 3

UN990007-IC



26 - 4

SL000128-EX




26 - 5

UN001219-IB


AR 320 bp TWIN - AR 370 bp TWIN

Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
1	392130	Elbow	弯管	2	Optional
2	540540	Ring nut	环螺母	2	
4	540530	Threaded adapter	螺纹连接器	2	
5	250310	O-Ring	O型圈	4	
6	760070	Manifold	歧管	2	
7	380242	Nut	螺母	36	Geomet C ₂₀
8	750100	Head	泵头	8	
9	680070	O-Ring	O型圈	16	
10	759051	Complete valve	单向阀	16	
12	880530	Plug	插头	2	C ₂₀
13	750110	Sleeve	套筒	8	AR 320 bp
14	750115	Sleeve	套筒	8	AR 370 bp
15	750061	Bolt	螺栓	16	Geomet C ₄₉
16	680350	Bolt	螺栓	4	C ₂₀
17	1040060	O-Ring	O型圈	2	
18	1800060	Black oil tank cap	黑色机油箱盖	2	AR 320 bp
19	750050	Red oil tank cap	红色机油箱盖	2	AR 370 bp
20	750030	Oil tank	机油箱	2	
21	750040	Gasket	垫片	2	
22	760010	Pump body	泵体	2	
23	851360	O-Ring	O型圈	2	
24	680020	Shaft support	轴支撑盘	2	
25	160672	Bolt	螺栓	12	Geomet C ₄₀
26	391930	Hose tail	接头	2	
27	2420181	Shaft support	轴支撑盘	1	
28	621500	Bolt	螺栓	6	C ₄₀
29	550080	Diaphragm	隔膜	8	Gomma
30	550084	Diaphragm	隔膜	8	Viton
31	550085	Diaphragm	隔膜	8	Desmopan
32	550086	Diaphragm	隔膜	8	H.P.D.S.
33	500260	Piston ring	活塞环	8	
34	750122	Piston	活塞	8	
35	160700	Pin	插针	8	
36	160691	Pin ring	插针环	16	
37	760140	Connecting rod	连杆	8	
38	750090	Roller bearing	滚珠轴承	4	
39	750130	Con rod ring	连杆环	4	
40	540040	Spacer washer	隔离垫圈	4	
41	230350	Bearing	轴承	4	
42	160740	Seal ring	密封环	4	
43	200390	Circlip	卡簧	4	
44	390290	O-Ring	O型圈	2	
45	380243	Washer	垫圈	36	Geomet
46	330173	Plug	插头	4	Geomet C ₂₀
47	550190	Semi air chamber	半气室	2	Gomma
48	550191	Semi air chamber	半气室	2	Saturflon
49	550192	Semi air chamber	半气室	2	Viton
50	650542	Gasket	垫片	2	


Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
54	180020	Air valve	空气阀	2	
55	620232	Upper air chamber	升压气室	12	Nera / Black
56	621781	Bolt	螺栓	16	Geomet C ₂₀
57	680180	Lower air chamber	降压气室	2	
58	1500470	Cardan protection	万向保护罩	2	
59	850251	Bolt	螺栓	6	Geomet C ₂₀
60	180101	O-Ring	O型圈	4	
61	1552	Complete air chamber	全气室	2	
62	740290	O-Ring	O型圈	2	
63	580360	Diaphragm pin	隔膜插针	8	C ₂₀
64	881560	Elbow 90° 1/2" G (M)-(F)	弯管	2	
65	1609000	Safety valve	安全阀	2	
66	880831	O-Ring	O型圈	2	
67	550450	Ring nut	环螺母	2	
68	550460	Elbow	弯管	2	
69	390314	Washer	垫圈	6	Geomet
70	580370	Plate	弹簧片	8	
71	750740	O-Ring	O型圈	2	
72	750710	Ring nut	环螺母	1	
73	750850	Elbow	弯管	1	Optional
74	750720	Elbow	弯管	1	Optional
75	750870	Hose tail	接头	1	Optional
76	750730	Hose tail	接头	1	
77	760170	Base	底座	2	Cataforesi
78	760180	Spacer	隔离片	16	
79	760190	Bolt	螺栓	16	Geomet C ₄₉
80	750820	Crankshaft	曲轴	2	AR 320 bp (AY) 图
81	760131	Crankshaft	曲轴	2	AR 370 bp (AK) 图
82	760260	Circlip	卡簧	1	
83	760151	Joint	关节	1	图
84	760161	Pin	插针	1	图
85	620030	O-Ring	O型圈	2	
86	760120	Suction manifold	抽吸歧管	1	
87	760470	"C/F" (ø32) shaft	轴	1	AR 320 bp (BK) 图
88	760480	"C/F" (ø32) shaft	轴	1	AR 370 bp (BY) 图
89	620330	Circlip	卡簧	1	
90	1800090	Seal ring	密封环	1	
91	230310	Bearing	轴承	1	
92	760510	Spacer washer	隔离垫圈	2	
93	2240100	Stud	螺栓	8	C ₂₅
94	2240110	Nut	螺母	8	C ₂₀
95	751250	Plate	弹簧片	8	




KIT 2371 (q.ty2)	
Buna diaphragms 丁纳橡胶隔膜	
KIT 2372 (q.ty2)	
HPDS diaphragms HPDS 隔膜	
KIT 2373 (q.ty2)	
Desmopan diaphragms 德国拜耳隔膜	
Pos. 序号	Q.ty 数量
30	8




KIT 2374 (q.ty2)	
Valves 单向阀	
Pos. 序号	Q.ty 数量
9	16
10	16




KIT 2406	
O-Rings O型圈	
Pos. 序号	Q.ty 数量
5	4
9	16
16	2
46	2
53	2
61	4
65	2
74	2
85	2




KIT 2407					
Maintenance repair 维修工具					
Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量
2	1	27	2	85	2
4	1	30	8	103	8
5	4	42	4	104	8
9	16	46	2	105	8
10	16	52	2		
16	2	74	2		
17	2	75	1		
18	2	77	1		
19	2	82	1		
21	2	84	1		




Used oil 使用机油	
Type / 类型	Kg
SAE 30	2,8




UN990005-IB




UN990006-IC



UN990007-IC




SL000128-EX




UN001219-IB

Pos.	Cod.	Descrizione	Description	Q.ty	Note
1	392130	Curva ø 35	Elbow	2	Optional
2	540540	Girello 1"3/4 G	Ring nut	2	
4	540530	Nipples 1"1/4-1"3/4 G (M)	Threaded adapter	2	
5	250310	OR ø 36,14x2,62	O-Ring	4	
6	760070	Condotto mandata	Manifold	2	
7	380242	Dado M 8	Nut	36	Geomet C ₂₀
8	750100	Testa porta valvole	Head	8	
9	680070	OR ø 31,5x4,25	O-Ring	16	
10	759051	Valvola completa	Complete valve	16	
12	880530	Tappo 3/8" G	Plug	2	C ₂₀
13	750110	Camicia	Sleeve	8	AR 320 bp
14	750115	Camicia	Sleeve	8	AR 370 bp
15	750061	Vite TE M 12x65	Bolt	16	Geomet C ₄₉
16	680350	Vite TCEI M 8x35	Bolt	4	● C ₂₀
17	1040060	OR ø 72,69x2,62	O-Ring	2	
18	1800060	Tappo serbatoio nero	Black oil tank cap	2	AR 320 bp
19	750050	Tappo serbatoio rosso	Red oil tank cap	2	AR 370 bp
20	750030	Serbatoio olio	Oil tank	2	
21	750040	Guarnizione serbatoio	Gasket	2	■
22	760010	Corpo pompa	Pump body	2	
23	851360	OR ø 120,32x2,62	O-Ring	2	☒
24	680020	Supporto albero	Shaft support	2	☒
25	160672	Vite TE M 10x25	Bolt	12	Geomet ■ C ₄₀
26	391930	Portagomma ø 35	Hose tail	2	
27	2420181	Supporto albero	Shaft support	1	☒
28	621500	Vite TCEI M 10x25	Bolt	6	■ C ₄₀
29	550080	Membrana	Diaphragm	8	Gomma
30	550084	Membrana	Diaphragm	8	Viton
31	550085	Membrana	Diaphragm	8	Desmopan
32	550086	Membrana	Diaphragm	8	H.P.D.S.
33	500260	Segmento	Piston ring	8	
34	750122	Pistone	Piston	8	
35	160700	Spinotto	Pin	8	
36	160691	Anellino spinotto	Pin ring	16	
37	760140	Biella	Connecting rod	8	
38	750090	Cuscinetto a rullini	Roller bearing	4	
39	750130	Anello biella	Con rod ring	4	
40	540040	Piastra distanziale	Spacer washer	4	
41	230350	Cuscinetto	Bearing	4	☒
42	160740	Anello tenuta	Seal ring	4	☒
43	200390	Anello seeger	Circlip	4	
44	390290	OR ø 29x3	O-Ring	2	☒
45	380243	Rosetta ø 8,5	Washer	36	Geomet
46	330173	Tappo 1/2" G	Plug	4	Geomet ● C ₂₀
47	550190	Semicamera aria	Semi air chamber	2	Gomma
48	550191	Semicamera aria	Semi air chamber	2	Saturlon
49	550192	Semicamera aria	Semi air chamber	2	Viton
50	650542	Guarnizione	Gasket	2	


Pos.	Cod.	Descrizione	Description	Q.ty	Note
54	180020	Valvola di gonfiaggio	Air valve	2	
55	620232	Semisfera superiore	Upper air chamber	12	Nera / Black
56	621781	Vite TE M 8x40	Bolt	16	Geomet C ₂₀
57	680180	Semisfera inferiore	Lower air chamber	2	
58	1500470	Protezione cardano	Cardan protection	2	
59	850251	Vite TCEI M 8x12	Bolt	6	Geomet C ₂₀
60	180101	OR ø 17,5x2	O-Ring	4	
61	1552	Camera aria completa	Complete air chamber	2	
62	740290	OR ø 14x1,78	O-Ring	2	
63	580360	Perno membrana	Diaphragm pin	8	○ C ₂₀
64	881560	Gomito 90° 1/2" G (M)-(F)	Elbow	2	■
65	1609000	Valvola di sicurezza	Safety valve	2	■
66	880831	OR ø 15,54x2,62	O-Ring	2	
67	550450	Girello 3/4" G	Ring nut	2	
68	550460	Curva ø 18	Elbow	2	
69	390314	Rondella ø 8,5	Washer	6	Geomet
70	580370	Piattello	Plate	8	
71	750740	OR ø 56,74x3,53	O-Ring	2	
72	750710	Girello 2"1/2 G	Ring nut	1	
73	750850	Curva ø 50	Elbow	1	Optional
74	750720	Curva ø 60	Elbow	1	Optional
75	750870	Portagomma ø 50	Hose tail	1	Optional
76	750730	Portagomma ø 60	Hose tail	1	
77	760170	Piede	Base	2	Cataforesi
78	760180	Distanziale piede	Spacer	16	
79	760190	Vite TE M 12x80	Bolt	16	Geomet C ₄₉
80	750820	Albero eccentrico	Crankshaft	2	AR 320 bp (AY) ☒
81	760131	Albero eccentrico	Crankshaft	2	AR 370 bp (AK) ☒
82	760260	Anello seeger	Circlip	1	
83	760151	Giunto	Joint	1	☒
84	760161	Perno collegamento	Pin	1	☒
85	620030	OR ø 25,80x3,53	O-Ring	2	☒
86	760120	Condotto aspirazione	Suction manifold	1	
87	760470	Albero ecc. "C/F" (ø32)	"C/F" (ø32) shaft	1	AR 320 bp (BK) ☒
88	760480	Albero ecc. "C/F" (ø32)	"C/F" (ø32) shaft	1	AR 370 bp (BY) ☒
89	620330	Anello seeger	Circlip	1	
90	1800090	Anello tenuta	Seal ring	1	☒
91	230310	Cuscinetto	Bearing	1	☒
92	760510	Piastra distanziale	Spacer washer	2	
93	2240100	Prigioniero	Stud	8	■ C ₂₅
94	2240110	Dado	Nut	8	● C ₂₀
95	751250	Piattello	Plate	8	




KIT 2371 (q.ty2)	
Membrane gomma	
Buna diaphragms	
KIT 2372 (q.ty2)	
Membrane HPDS	
HPDS diaphragms	
KIT 2373 (q.ty2)	
Membrane Desmopan	
Desmopan diaphragms	
Pos.	Q.ty
30	8




KIT 2374 (q.ty2)	
Valvole	
Valves	
Pos.	Q.ty
9	16
10	16



KIT 2406	
OR	
O-Rings	
Pos.	Q.ty
5	4
9	16
16	2
46	2
53	2
61	4
65	2
74	2
85	2




KIT 2407					
Pronto intervento					
Maintenance repair					
Pos.	Q.ty	Pos.	Q.ty	Pos.	Q.ty
2	1	27	2	85	2
4	1	30	8	103	8
5	4	42	4	104	8
9	16	46	2	105	8
10	16	52	2		
16	2	74	2		
17	2	75	1		
18	2	77	1		
19	2	82	1		
21	2	84	1		




Olio utilizzato		
Used oil		
Tipo - Type	Kg	
SAE 30	2,8	

AR 500 bp TWIN - AR 560 bp TWIN




28 - 1

UN000112-IB




28 - 2

UN000113-DD




28 - 3

UN000114-IB



28 - 4

UN000115-DD



28 - 5

SL000116-HY


Versione-Version
C/F
(Ø 32)

Versione-Version
C/C


AR 500 bp TWIN - AR 560 bp TWIN

Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
1	750870	Hose tail	Ø 50 接头	1	Optional
2	750730	Hose tail	Ø 60 接头	1	Optional
3	760190	Bolt	M 12x80 螺丝	16	Geomet C 49
4	750800	Base	底座	2	
5	750740	O-Ring	Ø 56,74x3,53 O型圈	4	
7	380242	Nut	M 8 螺母	52	Geomet C 20
8	750100	Head	泵头	12	
9	680070	O-Ring	Ø 31,5x4,25 O型圈	24	
10	759051	Complete valve	单向阀	24	
11	200390	Circlip	卡簧	3	
12	750820	Crankshaft	曲轴	2	AR 500 bp (AY) 图 4
13	760131	Crankshaft	曲轴	2	AR 560 bp (AK) 图 4
14	750110	Sleeve	套筒	12	AR 500 bp
15	750115	Sleeve	套筒	12	AR 560 bp
16	750061	Bolt	M 12x65 螺丝	32	Geomet C 49
17	680350	Bolt	M 8x35 螺丝	4	Geomet C 20
18	1040060	O-Ring	Ø 72,69x2,62 O型圈	2	
19	750057	Black oil tank cap	黑色机油箱盖	2	AR 500 bp
20	750052	Red oil tank cap	红色机油箱盖	2	AR 560 bp
21	750030	Oil tank	机油箱	2	
22	750040	Gasket	垫片	2	
23	750010	Pump body	泵体	2	
24	851360	O-Ring	Ø 120,32x2,62 O型圈	2	
25	680020	Shaft support	轴支撑盘	2	
26	160672	Bolt	M 10x25 螺丝	12	Geomet C 40
27	540530	Threaded adapter	螺口连接器	2	
28	250310	O-Ring	Ø 36,14x2,62 O型圈	4	
29	540540	Ring nut	1 3/4 G 环形螺母	2	
30	392130	Elbow	Ø 35 弯管	2	
31	391930	Hose tail	Ø 35 接头	2	Optional
32	550080	Diaphragm	隔膜	12	Gomma
33	550084	Diaphragm	隔膜	12	Viton
34	550085	Diaphragm	隔膜	12	Desmopan
35	550086	Diaphragm	隔膜	12	H.P.D.S.
36	2420181	Shaft support	轴支撑盘	1	
37	500260	Piston ring	柱塞环	12	
38	750122	Piston	柱塞	12	
39	750420	Manifold	歧管	2	
40	160700	Pin	插针	12	
41	160691	Pin ring	插针环	24	
42	750140	Connecting rod	连杆	12	
43	750090	Roller bearing	滚珠轴承	4	
44	750130	Con rod ring	连杆环	4	
45	540040	Spacer washer	隔离垫圈	4	
46	230350	Bearing	轴承	4	
47	160740	Seal ring	密封环	4	
48	380243	Washer	Ø 8,5 垫圈	52	Geomet
49	760180	Spacer	隔离片	16	


Pos. 序号	Cod. 编号	Description	描述	Q.ty 数量	Note 备注
47	850251	Bolt	M 8x12 螺丝	6	Geomet C 20
48	1500470	Cardan protection	万向保护罩	2	
49	750850	Elbow	Ø 50 弯管	2	AR 500 bp
50	750720	Elbow	Ø 60 弯管	2	AR 560 bp
51	750710	Ring nut	2 1/2 G 环形螺母	2	
52	620232	Upper air chamber	升压气室	2	Nera / Black
53	550190	Semi air chamber	半气室	2	Gomma
54	550191	Semi air chamber	半气室	2	Saturflon
55	550192	Semi air chamber	半气室	2	Viton
56	550193	Semi air chamber	半气室	2	H.P.D.S.
57	680180	Lower air chamber	降压气室	2	
58	621781	Bolt	M 8x40 螺丝	16	Geomet C 20
59	1552	Complete air chamber	全气室	2	
60	390290	O-Ring	Ø 29x3 O型圈	2	
61	180101	O-Ring	Ø 17,5x2 O型圈	4	
62	330173	Plug	1/2" G 插头	4	Geomet C 20
63	650542	Gasket	垫片	2	
64	180020	Air valve	空气阀	2	
65	750370	Elbow	1/4" G (M)-(F) 弯管	2	
66	880581	Plug	1/4" G 插头	2	C 20
67	390314	Washer	Ø 8,5 垫圈	6	Geomet
68	580360	Diaphragm pin	隔膜插针	12	C 20
69	580370	Plate	弹簧片	12	
70	740290	O-Ring	Ø 14x1,78 O型圈	1	
71	880530	Plug	3/8" G 插头	1	C 20
72	881560	Elbow	90° 1/2" G (M)-(F) 弯管	2	
73	1609000	Safety valve	安全阀	2	
74	880831	O-Ring	Ø 15,54x2,62 O型圈	2	Viton
75	550450	Ring nut	3/4" G 环形螺母	2	
76	550460	Elbow	Ø 18 弯管	2	
77	880820	Washer	Ø 13 垫圈	2	
78	750810	Suction manifold	抽吸歧管	1	
79	620030	O-Ring	Ø 25,80x3,53 O型圈	2	
80	760260	Circlip	卡簧	1	
81	760151	Joint	关节	1	
82	760161	Pin	插针	1	
83	760470	"C/F" (Ø 32) shaft	轴	1	AR 500 bp (BK) 图 4
84	760480	"C/F" (Ø 32) shaft	轴	1	AR 560 bp (BY) 图 4
85	620330	Circlip	卡簧	1	AR 500/560 bp C/F
86	200390	Circlip	卡簧	1	AR 500/560 bp C/C
87	1800090	Seal ring	密封环	1	
88	230310	Bearing	密封环	1	
89	760510	Spacer washer	隔离垫圈	2	
90	2240100	Stud	螺栓	12	C 25
91	2240110	Nut	螺母	12	C 20
92	751250	Plate	弹簧片	12	




KIT 1926 (q.ty 2)	
Buna diaphragms 丁纳橡胶隔膜	
Pos. 序号	Q.ty 数量
9	12
10	12




KIT 2114 (q.ty 2)	
Valves 单向阀	
Pos. 序号	Q.ty 数量
9	12
10	12




KIT 2431	
O-Rings O型圈	
Pos. 序号	Q.ty 数量
5	4
9	24
16	2
25	4
63	2
64	4
67	2
76	1
85	2




KIT 2432					
Maintenance repair 维修工具					
Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量	Pos. 序号	Q.ty 数量
9	24	27	2		
10	24	30	12		
16	2	42	2		
17	2	58	2		
18	2	103	12		
19	2	104	12		
21	2	105	12		
24	2				
25	4				
26	2				




Used oil 使用机油	
Type / 类型	Kg
SAE 30	4,8




UN000112-IB




UN000113-DD





UN000114-IB



UN000115-DD



SL000116-HY




28 - 5

Pos.	Cod.	Descrizione	Description	Q.ty	Note
1	750870	Portagomma ø 50	Hose tail	1	Optional
2	750730	Portagomma ø 60	Hose tail	1	Optional
3	760190	Vite TE M 12x80	Bolt	16	Geomet C 49
4	750800	Piede	Base	2	
5	750740	OR ø 56,74x3,53	O-Ring	4	
7	380242	Dado M 8	Nut	52	Geomet C 20
8	750100	Testa porta valvole	Head	12	
9	680070	OR ø 31,5x4,25	O-Ring	24	
10	759051	Valvola completa	Complete valve	24	
11	200390	Anello seeger	Circlip	3	
12	750820	Albero eccentrico	Crankshaft	2	AR 500 bp (AY) ☐ ☐
13	760131	Albero eccentrico	Crankshaft	2	AR 560 bp (AK) ☐ ☐
14	750110	Camicia	Sleeve	12	AR 500 bp
15	750115	Camicia	Sleeve	12	AR 560 bp
16	750061	Vite TE M 12x65	Bolt	32	Geomet C 49
17	680350	Vite TCEI M 8x35	Bolt	4	☐ C 20
18	1040060	OR ø 72,69x2,62	O-Ring	2	
19	750057	Tappo serbatoio nero	Black oil tank cap	2	AR 500 bp
20	750052	Tappo serbatoio rosso	Red oil tank cap	2	AR 560 bp
21	750030	Serbatoio olio	Oil tank	2	
22	750040	Guarnizione serbatoio	Gasket	2	☐
23	750010	Corpo pompa	Pump body	2	
24	851360	OR ø 120,32x2,62	O-Ring	2	☐
25	680020	Supporto albero	Shaft support	2	☐
26	160672	Vite TE M 10x25	Bolt	12	Geomet ☐ C 40
27	540530	Nipples 1"1/4-1"3/4 G (M)	Threaded adapter	2	
28	250310	OR ø 36,14x2,62	O-Ring	4	
29	540540	Girello 1"3/4 G	Ring nut	2	
30	392130	Curva ø 35	Elbow	2	
31	391930	Portagomma ø 35	Hose tail	2	Optional
32	550080	Membrana	Diaphragm	12	Gomma
33	550084	Membrana	Diaphragm	12	Viton
34	550085	Membrana	Diaphragm	12	Desmopan
35	550086	Membrana	Diaphragm	12	H.P.D.S.
36	2420181	Supporto albero	Shaft support	1	
37	500260	Segmento	Piston ring	12	☐
38	750122	Pistone	Piston	12	
39	750420	Condotto mandata	Manifold	2	
40	160700	Spinotto	Pin	12	
41	160691	Anellino spinotto	Pin ring	24	
42	750140	Biella	Connecting rod	12	
43	750090	Cuscinetto a rullini	Roller bearing	4	
44	750130	Anello biella	Con rod ring	4	
45	540040	Piastra distanziale	Spacer washer	4	☐
46	230350	Cuscinetto	Bearing	4	☐
47	160740	Anello tenuta	Seal ring	4	
48	380243	Rosetta øi 8,5	Washer	52	Geomet
49	760180	Distanziale piede	Spacer	16	


Pos.	Cod.	Descrizione	Description	Q.ty	Note
47	850251	Vite TCEI M 8x12	Bolt	6	Geomet C 20
48	1500470	Protezione cardano	Cardan protection	2	
49	750850	Curva ø 50	Elbow	2	AR 500 bp
50	750720	Curva ø 60	Elbow	2	AR 560 bp
51	750710	Girello 2"1/2 G	Ring nut	2	
52	620232	Semisfera superiore	Upper air chamber	2	Nera / Black
53	550190	Semicamera aria	Semi air chamber	2	Gomma
54	550191	Semicamera aria	Semi air chamber	2	Saturflon
55	550192	Semicamera aria	Semi air chamber	2	Viton
56	550193	Semicamera aria	Semi air chamber	2	H.P.D.S.
57	680180	Semisfera inferiore	Lower air chamber	2	
58	621781	Vite TE M 8x40	Bolt	16	Geomet C 20
59	1552	Camera aria completa	Complete air chamber	2	
60	390290	OR ø 29x3	O-Ring	2	☐
61	180101	OR ø 17,5x2	O-Ring	4	
62	330173	Tappo 1/2" G	Plug	4	Geomet C 20
63	650542	Guarnizione	Gasket	2	
64	180020	Valvola di gonfiaggio	Air valve	2	
65	750370	Gomito 1/4" G (M)-(F)	Elbow	2	☐ C 20
66	880581	Tappo 1/4" G	Plug	2	☐ C 20
67	390314	Rondella øi 8,5	Washer	6	Geomet
68	580360	Perno membrana	Diaphragm pin	12	☐ C 20
69	580370	Piattello	Plate	12	
70	740290	OR ø 14x1,78	O-Ring	1	
71	880530	Tappo 3/8" G	Plug	1	C 20
72	881560	Gomito 90° 1/2" G (M)-(F)	Elbow	2	☐
73	1609000	Valvola di sicurezza	Safety valve	2	☐
74	880831	OR ø 15,54x2,62	O-Ring	2	Viton
75	550450	Girello 3/4" G	Ring nut	2	
76	550460	Curva ø 18	Elbow	2	
77	880820	Rosetta øi 13	Washer	2	
78	750810	Condotto aspirazione	Suction manifold	1	
79	620030	OR ø 25,80x3,53	O-Ring	2	☐
80	760260	Anello seeger	Circlip	1	
81	760151	Giunto	Joint	1	☐ ☐
82	760161	Perno collegamento	Pin	1	☐ ☐
83	760470	Albero ecc. "C/F" (ø32)	"C/F" (ø32) shaft	1	AR 500 bp (BK) ☐ ☐
84	760480	Albero ecc. "C/F" (ø32)	"C/F" (ø32) shaft	1	AR 560 bp (BY) ☐ ☐
85	620330	Anello seeger	Circlip	1	AR 500/560 bp C/F
86	200390	Anello seeger	Circlip	1	AR 500/560 bp C/C
87	1800090	Anello tenuta	Seal ring	1	☐
88	230310	Cuscinetto	Bearing	1	☐
89	760510	Piastra distanziale	Spacer washer	2	
90	2240100	Prigioniero	Stud	12	☐ C 25
91	2240110	Dado	Nut	12	☐ C 20
92	751250	Piattello	Plate	12	




KIT 1926 (q.ty2)	
Membrane gomma Buna diaphragms	
KIT 1975 (q.ty2)	
Membrane HPDS HPDS diaphragms	
KIT 2310 (q.ty2)	
Membrane Desmopan Desmopan diaphragms	
Pos.	Q.ty
30	6




KIT 2114 (q.ty2)	
Valvole Valves	
Pos.	Q.ty
9	12
10	12



KIT 2431	
OR O-Rings	
Pos.	Q.ty
5	4
9	24
16	2
25	4
63	2
64	4
67	2
76	1
85	2



KIT 2432					
Pronto intervento Maintenance repair					
Pos.	Q.ty	Pos.	Q.ty	Pos.	Q.ty
9	24	27	2		
10	24	30	12		
16	2	42	2		
17	2	58	2		
18	2	103	12		
19	2	104	12		
21	2	105	12		
24	2				
25	4				
26	2				



Olio utilizzato Used oil		
Tipo - Type	Kg	
SAE 30	4,8	